

2015 NATIONAL TRAINEE SURVEY

GENERAL (INTERNAL) MEDICINE

DECEMBER 2015

Warren Lynch Quality Management Officer Joint Royal Colleges of Physicians Training Board







Introduction

The National Trainee Survey is an annual survey commissioned and administered by the General Medical Council (GMC). The survey has been in place since 2010.

The purpose of the survey is to gather feedback from trainees to help local education providers such as hospitals and general practices improve their training practice. It also helps postgraduate deaneries/local education and training boards (LETBs) manage training programmes, which are usually delivered across a number of different local education providers (LEPs). The GMC use red and green colour coding to highlight results that are significantly above or below the average to help identify areas for investigation.

The trainee survey is comprised of a set of generic questions which test trainees' perceptions of training providers' compliance with the GMC standards, and specialty specific questions set by Royal Colleges and Faculties which test their perceptions of the quality of delivery of the curricula. It is a unique opportunity for managers of training programmes to hear the views of their trainees.

In 2015, a pilot survey was undertaken as part of the GMC's National Trainee Survey whereby, trainees who declared they were dual training in one of the following specialties, Gastroenterology, Geriatric Medicine, Renal Medicine or Respiratory Medicine together with General (Internal) Medicine were asked 12 additional questions relating to their training in General (Internal) Medicine.

1750 trainees declared themselves to be dual training in General (Internal) Medicine as specialty two in the following first specialties. The numbers of trainees and their first specialty were as follows:

| First Specialty | No. of trainees |
|----------------------|-----------------|
| Gastroenterology | 450 |
| Geriatric Medicine | 602 |
| Renal Medicine | 241 |
| Respiratory Medicine | 457 |
| Total | 1750 |







Executive Summary

- 95% (1655/1750) of trainees surveyed agreed they were training in General (Internal) Medicine as specialty two. The percentage was highest in Geriatric Medicine (99%) and lowest in Renal Medicine (79%).
- 68% (1122/1655) of trainees agreed that their current specialty clinical supervisor participated in the acute medical take. The percentage was highest in Geriatric Medicine and Respiratory Medicine (78%) and lowest in Renal Medicine (36%).
- 14% (233/1655) of trainees surveyed agreed they had a separate formerly identified mentor or supervisor for their General (Internal Medicine) training. The percentage was highest in Renal Medicine (27%) and lowest in Respiratory Medicine (9%).
- 73% (1208/1655) of trainees agreed that their training was appropriately distributed between their main specialty and General (Internal) Medicine. The percentage was highest in Geriatric Medicine, Renal Medicine and Respiratory Medicine (all 79%) and lowest in Gastroenterology (55%).
- 50% (820/1655) of trainees agreed that the balance between service provision and training time applying whilst working in General (Internal)) Medicine was 90% service 10% training or higher in terms of service commitment. There was 2% difference or less across all four of the specialties.
- 50% (821/1655) of trainees agreed or strongly agreed that their training had benefitted from working on the 'hospital at night' rota. The percentage was highest in Gastroenterology (62%) and lowest in Respiratory Medicine (48%). 12% (202/1655) of trainees said that they did not take part in the 'hospital at night' rota. This was highest in Renal Medicine (22%) and lowest in Gastroenterology (7%).
- 31% (516/1655) of trainees agreed they had a designated supervisor with whom they can discuss cases from their 'hospital at night' rota. The percentage was highest in Geriatric Medicine (33%) and lowest in Renal Medicine (28%).
- 36% (594/1655) of trainees agreed that the feedback they receive from their educational and or clinical supervisor if they lead post-take ward rounds was very good or good. The percentage was highest in Gastroenterology (58%) and lowest in Renal Medicine (44%).
- 54% (890/1655) of trainees rated the overall supervision they receive in General (Internal) Medicine as very good or good. The percentage was highest in Geriatric Medicine and Respiratory Medicine (55%) and lowest in Renal Medicine (49%). 14% of trainees (235/1655) rated the overall supervision they receive in General (Internal) Medicine as poor or very poor. This was highest in Renal Medicine (16% and lowest in Respiratory Medicine (13%).
- 46% of trainees (759/1655) rated the training opportunities they had received in General (Internal) Medicine as very good or good. This was highest in Geriatric Medicine (51% and lowest in Gastroenterology (38%).
- 20% of trainees (331/1655) strongly agreed or agreed that they had considered discontinuing their training in General (Internal) Medicine in the last 6 months. This was highest in Renal Medicine (27% and lowest in Geriatric Medicine (14%).
- 49% of trainees (808/1655) agreed they were very satisfied or satisfied with their post in General (Internal) Medicine. This was highest in Geriatric Medicine (55% and lowest in Gastroenterology (39%).

| Gastroenterology | | | | | | | | | | | | |
|------------------|---|----------------|----|----|----|----|----|----|----|-----|-----|-----|
| Quartile | Deanery/LETB | No of Trainees | Q2 | Q3 | Q4 | Q6 | Q7 | Q8 | Q9 | Q10 | Q11 | Q12 |
| 4 | Health Education Kent, Surrey & Sussex | 32 | 78 | 16 | 47 | 41 | 31 | 41 | 53 | 47 | 44 | 41 |
| 4 | Health Education N, C & E London | 41 | 49 | 13 | 63 | 59 | 49 | 44 | 66 | 44 | 17 | 41 |
| 4 | Health Education NW London | 35 | 83 | 14 | 60 | 46 | 37 | 46 | 69 | 57 | 17 | 71 |
| 4 | Health Education South London | 30 | 57 | 55 | 63 | 50 | 33 | 40 | 60 | 53 | 17 | 33 |
| 4 | Northern Ireland Medical and Dental Training Agency | 8 | 50 | 26 | 50 | 50 | 50 | 0 | 38 | 38 | 0 | 38 |
| 3 | Health Education East of England | 32 | 50 | 7 | 56 | 31 | 28 | 28 | 66 | 31 | 22 | 50 |
| 3 | Health Education South West | 21 | 43 | 20 | 38 | 52 | 43 | 43 | 48 | 33 | 19 | 48 |
| 3 | Health Education Wessex | 18 | 56 | 0 | 56 | 50 | 11 | 56 | 56 | 28 | 28 | 50 |
| 3 | NHS Education for Scotland | 11 | 9 | 13 | 64 | 64 | 45 | 45 | 55 | 36 | 0 | 55 |
| 2 | Health Education North East | 25 | 64 | 34 | 68 | 12 | 36 | 40 | 44 | 20 | 20 | 24 |
| 2 | Health Education Thames Valley | 9 | 78 | 14 | 33 | 44 | 11 | 33 | 56 | 44 | 11 | 44 |
| 2 | Health Education Yorkshire & Humber | 31 | 65 | 12 | 74 | 26 | 23 | 39 | 39 | 29 | 23 | 29 |
| 2 | Wales Deanery | 19 | 89 | 0 | 16 | 42 | 32 | 21 | 68 | 32 | 32 | 26 |
| 1 | Defence Postgraduate Medical Deanery | 0 | | | | | | | | | | |
| 1 | Health Education East Midlands | 29 | 38 | 0 | 34 | 41 | 28 | 5 | 24 | 34 | 52 | 21 |
| 1 | Health Education North West | 49 | 61 | 4 | 65 | 29 | 29 | 29 | 51 | 35 | 18 | 33 |
| 1 | Health Education West Midlands | 34 | 35 | 6 | 53 | 32 | 29 | 32 | 44 | 35 | 47 | 32 |







| Geriatric Medicine | | | | | | | | | | | | |
|--------------------|---|----------------|----|----|-----|----|----|----|----|-----|-----|-----|
| Quartile | Deanery/LETB | No of Trainees | Q2 | Q3 | Q4 | Q6 | Q7 | Q8 | Q9 | Q10 | Q11 | Q12 |
| 4 | Health Education N, C & E London | 51 | 82 | 16 | 84 | 53 | 43 | 37 | 65 | 57 | 22 | 61 |
| 4 | Health Education Thames Valley | 22 | 30 | | 100 | 73 | 50 | 50 | 64 | 59 | 18 | 82 |
| 4 | Health Education West Midlands | 46 | 96 | 2 | 93 | 65 | 22 | 41 | 57 | 59 | 18 | 57 |
| 4 | Wales Deanery | 32 | 94 | 6 | 87 | 56 | 44 | 56 | 75 | 63 | 6 | 69 |
| 3 | Health Education NW London | 29 | 93 | 14 | 76 | 55 | 31 | 34 | 62 | 52 | 17 | 55 |
| 3 | Health Education South London | 38 | 74 | 11 | 92 | 61 | 32 | 26 | 66 | 61 | 5 | 63 |
| 3 | Health Education South West | 37 | 76 | 35 | 76 | 54 | 43 | 35 | 59 | 51 | 11 | 57 |
| 3 | NHS Education for Scotland | 49 | 57 | 51 | 73 | 63 | 33 | 39 | 55 | 49 | 4 | 43 |
| 2 | Health Education Kent, Surrey & Sussex | 38 | 89 | 18 | 66 | 55 | 29 | 32 | 58 | 42 | 18 | 47 |
| 2 | Health Education North East | 35 | 71 | 3 | 91 | 49 | 23 | 31 | 51 | 51 | 20 | 54 |
| 2 | Health Education Wessex | 29 | 55 | 3 | 76 | 72 | 31 | 34 | 45 | 48 | 0 | 66 |
| 2 | Health Education Yorkshire & Humber | 48 | 67 | 9 | 83 | 48 | 38 | 52 | 52 | 48 | 6 | 58 |
| 1 | Defence Postgraduate Medical Deanery | 0 | | | | | | | | | | |
| 1 | Health Education East of England | 24 | 92 | 0 | 71 | 46 | 38 | 21 | 50 | 33 | 21 | 46 |
| 1 | Health Education East Midlands | 39 | 74 | 10 | 69 | 59 | 23 | 33 | 41 | 44 | 26 | 41 |
| 1 | Health Education North West | 66 | 80 | 6 | 65 | 53 | 29 | 27 | 44 | 52 | 12 | 53 |
| 1 | Northern Ireland Medical and Dental Training Agency | 13 | 31 | 0 | 77 | 69 | 23 | 38 | 46 | 31 | 8 | 46 |

| Renal Medicine | | | | | | | | | | | | | |
|----------------|---|----------------|-----|----|----|-----|----|----|----|----|-----|-----|-----|
| Quartile | Deanery/LETB | No of Trainees | Q1 | Q2 | Q3 | Q4 | Q6 | Q7 | Q8 | Q9 | Q10 | Q11 | Q12 |
| 4 | Health Education Kent, Surrey & Sussex | 5 | 63 | 40 | 60 | 60 | 80 | 60 | 80 | 60 | 40 | 20 | 60 |
| 4 | Health Education North East | 11 | 85 | 45 | 45 | 91 | 45 | 27 | 64 | 73 | 64 | 27 | 45 |
| 4 | Health Education West Midlands | 16 | 70 | 63 | 31 | 81 | 69 | 25 | 38 | 69 | 69 | 25 | 81 |
| 4 | Wales Deanery | 14 | 93 | 57 | 14 | 79 | 36 | 36 | 57 | 71 | 64 | 14 | 57 |
| 3 | Health Education N, C & E London | 19 | 90 | 32 | 16 | 95 | 42 | 26 | 21 | 58 | 58 | 16 | 53 |
| 3 | Health Education North West | 20 | 77 | 40 | 45 | 70 | 60 | 40 | 20 | 50 | 45 | 30 | 45 |
| 3 | Health Education South West | 17 | 85 | 35 | 24 | 82 | 53 | 18 | 24 | 41 | 41 | 41 | 47 |
| 3 | Health Education Wessex | 4 | 67 | 0 | 75 | 100 | 50 | 25 | 50 | 50 | 50 | 50 | 25 |
| 2 | Health Education East Midlands | 14 | 74 | 29 | 21 | 71 | 43 | 29 | 29 | 50 | 36 | 14 | 36 |
| 2 | Health Education NW London | 7 | 54 | 14 | 29 | 57 | 43 | 29 | 43 | 57 | 29 | 29 | 43 |
| 2 | Health Education Yorkshire & Humber | 16 | 84 | 50 | 13 | 81 | 50 | 19 | 25 | 44 | 50 | 25 | 38 |
| 2 | Northern Ireland Medical and Dental Training Agency | 3 | 50 | 0 | 33 | 100 | 67 | 33 | 33 | 33 | 33 | 0 | 33 |
| 1 | Defence Postgraduate Medical Deanery | 0 | | | | | | | | | | | |
| 1 | Health Education East of England | 10 | 100 | 50 | 0 | 70 | 50 | 20 | 10 | 10 | 20 | 60 | 20 |
| 1 | Health Education South London | 11 | 58 | 27 | 9 | 82 | 27 | 18 | 27 | 27 | 18 | 36 | 27 |
| 2 | Health Education Thames Valley | 6 | 100 | 17 | 17 | 67 | 83 | 33 | 17 | 50 | 17 | 33 | 17 |
| 1 | NHS Education for Scotland | 11 | 100 | 0 | 64 | 91 | 45 | 27 | 0 | 9 | 18 | 18 | 18 |







| | Respiratory Medicine | | | | | | | | | | | | |
|----------|---|----------------|-----|-----|----|-----|-----|----|----|----|-----|-----|-----|
| Quartile | Deanery/LETB | No of Trainees | Q1 | Q2 | Q3 | Q4 | Q6 | Q7 | Q8 | Q9 | Q10 | Q11 | Q12 |
| 4 | Defence Postgraduate Medical Deanery | 3 | 100 | 100 | 0 | 100 | 100 | 33 | 0 | 67 | 67 | 0 | 100 |
| 4 | Health Education Kent, Surrey & Sussex | 35 | 100 | 100 | 6 | 66 | 51 | 34 | 46 | 69 | 54 | 29 | 40 |
| 4 | Health Education NW London | 30 | 94 | 70 | 10 | 90 | 50 | 33 | 40 | 67 | 60 | 23 | 60 |
| 4 | Health Education Thames Valley | 13 | 100 | 62 | 8 | 85 | 54 | 62 | 46 | 69 | 54 | 38 | 54 |
| 3 | Health Education North East | 25 | 96 | 68 | 12 | 76 | 40 | 32 | 60 | 68 | 60 | 8 | 64 |
| 3 | Health Education South London | 23 | 100 | 91 | 4 | 96 | 30 | 48 | 22 | 52 | 48 | 26 | 57 |
| 3 | Health Education Wessex | 25 | 100 | 96 | 12 | 84 | 56 | 36 | 32 | 48 | 48 | 12 | 52 |
| 3 | Wales Deanery | 20 | 100 | 100 | 10 | 75 | 55 | 10 | 25 | 75 | 50 | 13 | 65 |
| 2 | Health Education East of England | 29 | 100 | 72 | 10 | 86 | 41 | 31 | 24 | 62 | 48 | 14 | 55 |
| 2 | Health Education South West | 35 | 97 | 63 | 23 | 74 | 49 | 20 | 51 | 60 | 54 | 20 | 57 |
| 2 | Health Education Yorkshire & Humber | 41 | 98 | 85 | 2 | 76 | 44 | 37 | 41 | 49 | 39 | 27 | 49 |
| 2 | NHS Education for Scotland | 16 | 94 | 56 | 50 | 81 | 56 | 19 | 25 | 56 | 44 | 13 | 56 |
| 1 | Health Education East Midlands | 33 | 100 | 64 | 0 | 73 | 48 | 33 | 36 | 36 | 45 | 15 | 45 |
| 1 | Health Education N, C & E London | 29 | 97 | 69 | 0 | 86 | 52 | 21 | 28 | 45 | 38 | 17 | 55 |
| 1 | Health Education North West | 49 | 91 | 80 | 8 | 80 | 45 | 22 | 27 | 39 | 39 | 24 | 37 |
| 1 | Health Education West Midlands | 37 | 100 | 76 | 3 | 65 | 51 | 16 | 46 | 54 | 41 | 27 | 46 |
| 1 | Northern Ireland Medical and Dental Training Agency | 0 | | | | | | | | | | | |


SPECIALTY SPECIFIC QUESTIONS

Royal Colleges and Faculties specialty advisory committees are able to submit a small number of specialty specific questions to the GMC for inclusion in the survey. 12 questions for General (Internal) Medicine were included in the 2015 GMC National Trainee Survey.

1) Are you training in General (Internal) Medicine as specialty two?

(This question was presented to trainees of the following grades: ST3, ST4, ST5, ST6, ST7, ST8)

All results



95% (1655/1750) of trainees surveyed agreed they were training in General (Internal) Medicine as specialty two. The percentage was highest in Geriatric Medicine (99%) and lowest in Renal Medicine (79%).


A breakdown of this by grade and Deanery/LETB can be seen below.









Grade (ST3)




Grade (ST4)




Grade (ST5)




Grade (ST6)





Grade (ST7)



Grade (ST8)




















2) Does your current specialty clinical supervisor participate in the acute medical take?

(This question was presented to trainees of the following grades: ST3, ST4, ST5, ST6, ST7, ST8)

All results




68% (1122/1655) of trainees agreed that their current specialty clinical supervisor participated in the acute medical take. The percentage was highest in Geriatric Medicine and Respiratory Medicine (78%) and lowest in Renal Medicine (36%).

A breakdown of this by grade and Deanery/LETB can be seen below.







Grade (ST3)




Grade (ST5)




Grade (ST7)




Grade (ST4)





Grade (ST6)



Grade (ST8)




















3) Do you have a separate, formally identified mentor or supervisor for your General (Internal) Medicine training? (This question was presented to trainees of the following grades: ST3, ST4, ST5, ST6, ST7, ST8)

All results




14% (233/1655) of trainees surveyed agreed they had a separate formerly identified mentor or supervisor for their General (Internal Medicine) training. The percentage was highest in Renal Medicine (27%) and lowest in Respiratory Medicine (9%).

A breakdown of this by grade and Deanery/LETB can be seen below.







Grade (ST3)




Grade (ST5)




Grade (ST7)




Grade (ST4)





Grade (ST6)



Grade (ST8)




















4) Is your training appropriately distributed between your main specialty and General (Internal) Medicine?

(This question was presented to trainees of the following grades: ST3, ST4, ST5, ST6, ST7, ST8)

All results




73% (1208/1655) of trainees agreed that their training was appropriately distributed between their main specialty and General (Internal) Medicine. The percentage was highest in Geriatric Medicine, Renal Medicine and Respiratory Medicine (all 79%) and lowest in Gastroenterology (55%).

A breakdown of this by grade and Deanery/LETB can be seen below.







Grade (ST3)




Grade (ST4)



Grade (ST5)



Grade (ST6)












Grade (ST7)























5) What balance between service provision and training time normally applies whilst working in General (Internal) Medicine? (This question was presented to trainees of the following grades: ST3, ST4, ST5, ST6, ST7, ST8)

All results




50% (820/1655) of trainees agreed that the balance between service provision and training time applying whilst working in General (Internal)) Medicine was 90% service 10% training or higher in terms of service commitment. There was 2% difference or less across all four of the specialties.

A breakdown of this by grade and Deanery/LETB can be seen below.







Grade (ST3)




Grade (ST4)



Grade (ST5)
















Grade (ST7)





























6) Please indicate how much you agree or disagree with the following statement: My training has benefited from working on the 'hospital at night' rota

(This question was presented to trainees of the following grades: ST3, ST4, ST5, ST6, ST7, ST8)

All results



50% (821/1655) of trainees agreed or strongly agreed that their training had benefitted from working on the 'hospital at night' rota. The percentage was highest in Gastroenterology (62%) and lowest in Respiratory Medicine (48%).

12% (202/1655) of trainees said that they did not take part in the 'hospital at night' rota. This was highest in Renal Medicine (22%) and lowest in Gastroenterology (7%).


A breakdown of this by grade and Deanery/LETB can be seen below.









Grade (ST3)




Grade (ST5)




Grade (ST7)




Grade (ST4)





Grade (ST6)



Grade (ST8)




















7) Do you have a designated supervisor with whom you can discuss cases from your 'hospital at night' rota?

(This question was presented to trainees of the following grades: ST3, ST4, ST5, ST6, ST7, ST8)

All results




31% (516/1655) of trainees agreed they had a designated supervisor with whom they can discuss cases from their 'hospital at night' rota. The percentage was highest in Geriatric Medicine (33%) and lowest in Renal Medicine (28%).


A breakdown of this by grade and Deanery/LETB can be seen below.









Grade (ST5)




Grade (ST7)





Grade (ST4)




Grade (ST6)






















8) If you lead post-take ward rounds, how good or poor is the feedback you receive from the educational and/or clinical supervisor? (This question was presented to trainees of the following grades: ST3, ST4, ST5, ST6, ST7, ST8)

All results




36% (594/1655) of trainees agreed that the feedback they receive from their educational and or clinical supervisor if they lead post-take ward rounds was very good or good. The percentage was highest in Gastroenterology (58%) and lowest in Renal Medicine (44%).


A breakdown of this by grade and Deanery/LETB can be seen below.









Grade (ST5)




Grade (ST7)





Grade (ST4)




Grade (ST6)




















9) How would you rate the overall supervision you've received in General (Internal) Medicine?

(This question was presented to trainees of the following grades: ST3, ST4, ST5, ST6, ST7, ST8)

All results




54% (890/1655) of trainees rated the overall supervision they receive in General (Internal) Medicine as very good or good. The percentage was highest in Geriatric Medicine and Respiratory Medicine (55%) and lowest in Renal Medicine (49%).

14% of trainees (235/1655) rated the overall supervision they receive in General (Internal) Medicine as poor or very poor. This was highest in Renal Medicine (16% and lowest in Respiratory Medicine (13%).


A breakdown of this by grade and Deanery/LETB can be seen below.









Grade (ST5)




Grade (ST7)





Grade (ST4)




Grade (ST6)




















10) How would you rate the training opportunities you've received in General (Internal) Medicine?

(This question was presented to trainees of the following grades: ST3, ST4, ST5, ST6, ST7, ST8)

All results




46% of trainees (759/1655) rated the training opportunities they had received in General (Internal) Medicine as very good or good. This was highest in Geriatric Medicine (51% and lowest in Gastroenterology (38%).


A breakdown of this by grade Deanery/LETB can be seen below.









Grade (ST5)




Grade (ST7)





Grade (ST4)




Grade (ST6)






















Please indicate how much you agree or disagree with the following statement:

11) In the last six months, I have considered discontinuing my training in General (Internal) Medicine

(This question was presented to trainees of the following grades: ST3, ST4, ST5, ST6, ST7, ST8)

All results




20% of trainees (331/1655) strongly agreed or agreed that they had considered discontinuing their training in General (Internal) Medicine in the last 6 months. This was highest in Renal Medicine (27% and lowest in Geriatric Medicine (14%).


A breakdown of this by grade Deanery/LETB can be seen below.









Grade (ST5)




Grade (ST7)





Grade (ST4)




Grade (ST6)






















12) How satisfied are you with your post in General (Internal) Medicine?

(This question was presented to trainees of the following grades: ST3, ST4, ST5, ST6, ST7, ST8)

All results




49% of trainees (808/1655) agreed they were very satisfied or satisfied with their post in General (Internal) Medicine. This was highest in Geriatric Medicine (55% and lowest in Gastroenterology (39%).


A breakdown of this by grade and Deanery/LETB can be seen below.








Grade (ST5)



Grade (ST7)



Grade (ST4)



Grade (ST6)

